



MATERIALS HANDLING, WORKPLACE & SAFETY EQUIPMENT





SCAN TO VIEW THE BIGGEST RANGE IN AUSTRALIA







ABN: 66 640 439 149

L 1800 750 900

www.verdex.com.au

Brisbane (07) 3558 9700

42 Mineral Sizer Court, Narangba QLD 4509 sales@verdex.com.au

Sydney (02) 8865 1800

23 Hawthorne Avenue, Marsden Park NSW 2765 sales@verdex.com.au

Melbourne (03) 9115 9100

52 Gilbert Park Drive, Knoxfield VIC 3180 sales@verdex.com.au



CHECK OUT OUR FREE GIVEAWAY PROMOTION



Simply add your preferred giveaway promo to your cart depending on your order value

DELIVERING AUSTRALIA WIDE DAILY

Contact us for a copy of our full catalogue or download a copy here:



Scan to view our full range online



www.verdex.com.au/catalogue

V-Cart Folding Plastic & Aluminium Trolley



Pipe Trolley

- Suitable to store & transport long materials such as pipe, conduit, tubing & bar stock
- 2 tonne capacity
- Heavy duty construction for maximum stability
- 8 spaces available for sorting & accessing pipes
- Arm stops prevent items falling off
- Optional 4 corner posts supplied for fitting to base frame
- Industrial 150mm poly/cast wheels with brakes allow easy maneuvering around the worksite
- Zinc finish
 Working Load Limit (WIL):
- Working Load Limit (WLL): 2000kg
- Overall Dimensions (LxWxH): 1895x1065x1790mm
- Unit Weight: 112kg



Code	WAS	NOW
V1280	_\$1,160	\$1,035



Multi-Purpose Cage Trolley

- Features fold down sides for easy loading & unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Load Capacity: 370kgHandle Height: 1000mm
- Overall Size: (LxWxH) 1000x620x1000mm
- Platform Size: 880x580mm
- Platform Height: 190mm
- 125mm Polyurethane
- castors: 2 x fixed & 2 x swivelErgonomically designed with handle at optimum height
- Unit Weight: 27kg



Code	WAS	NOW
V1031	_\$489	\$435

Heavy Duty Sloping 4 Shelf Trolley

- Heavy duty bolt together trolley which is great for stock picking
- 4 sloping backwards shelves which prevents items falling off the shelves
- Shelves are removable
 Distance between shelves: 350mm
- Shelf Size: 1460x730mm
- 150mm Rubber Castors: 2 x fixed & 2 swivel with brakes
 Load Canacity E00kg
- Load Capacity: 500kg
 Overall Size (WxDxH): 1730x770x1770mm
- Unit Weight: 122kg



Code	WAS	NOW
V1081	_\$1,497	\$1,331

Heavy Duty Steel Platform Trolleys

 Heavy duty steel platform trolleys are ideal for general warehouse use Heavy duty castors (front fixed & rear swivel) Welded steel construction Durable baked enamel paint finish Load Capacity: 540kg 200mm Polyurethane castors: 2 x swivel & 2 x fixed • Handle Height: 970mm Platform Height: 290mm Overall Length: V1040: 1020mm V1043: 1620mm Unit Weight: V1040: 32kg V1043: 49kg

Code	Details	Platform Size (mm)	WAS	NOW
V1040	Steel Platform Trolley	920x610	_\$435	\$388
V1043	Steel Platform Trolley	1520x760	_\$565	\$498

2 Tier Plastic Utility Cart (Ergonomic Handle)

- An ideal solution for various applications, including industrial, commercial & retail environments
- Material: Polypropylene125mm Castors:
- 2 x fixed & 2 x swivel • Load Capacity: 250kg
- Overall Size (LxWxH):
- 1110x650x990mm • Tray Size (LxWxD):
- 920x625x70mm • Handle Height: 990m
- Platform Heights:
 - V1415: 150 & 850mm V1417: 150, 475 & 850mm

ene <g : mm)mm</g 	
ils	Unit Weight (kg) WAS NOW

Code	Details	Unit Weight (kg)	WAS	NOW
V1415	2 Tier Plastic Utility Cart	22.4	\$387	\$344
V1417	3 Tier Plastic Utility Cart	25.4	_\$476	\$422

3 Tier Convertible Cage Trolley

• General purpose 3 tier trolley, which can be converted into a platform trolley with sides as pictured Rubber castors: 2 x fixed & 2 x swivel with brakes Powder coated sides with timber shelves Load Capacity: 200kg Castors: 125mm Handle Height: 1160mm . Shelf Heights: 190+600+980mm Shelf Size: (LxW) 900x600mm Overall Size: (LxWxH) 950x610x1160mm Unit Weight: 45kg Code WAS NOW V1085 \$655 \$738

Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
 The Plastic X Shape Laundry Cart is an ideal solution for laundry transportation needs
- in various environments
 Easily remove the waste bag
- by unhooking from the frameCan be folded when not in use
- Strong vinyl bag
- Load Capacity: 60kg
- Volume Capacity: 178 Litre
- Castors: 75mm
 Folded Size (LxWxH):
- 660x440x1100mm
- Overall Size (LxWxH): 690x660x950mm
- Unit Weight: 10kg

Code	WAS	NOW
V9070	\$177	\$155

VERDEX

Folding Hand Trolley

- Extremely light weight folding hand trolley
- · Powder coated steel
- Foot Plate folds up & handle collapses for easy storage
- when not in use • Size of Wheel Shaft: 14.75mm
- Load Capacity: 90kg
- Rubber Castors: 150mm
- Foot Plate Size (WxD): 355x240mm
- Closed Size (WxDxH): 390x180x710mm
- Open Size (WxDxH): 390x410x1090mm

Code

V1190

• Unit Weight: 6kg



	•		
Code	WAS	NOW	
V1170	_\$85	\$75	

Great lightweight hand truck for general load carting Flat free tyres Load Capacity: 150kg Castors: 260mm Foot Plate Size (WxD): 355x180mm Overall Size (WxDxH): 520x470x1260mm Unit Weight: 10kg

Aluminium Convertible Hand Trolley



Heavy Duty Stair Climber Trolley

- Industrial quality hand trolleys to suit a variety of applications
- Supplied with appliance strap
 Designed for transporting heavy items & can be maneuvered up & down stairways
- Flat free wheels
- Powdercoated steel frame with poly load protectors
- Load Capacity: 350kg
- Wheel Size: 150mm
- Foot Size (WxD):
 450x200mm
- Overall Size (WxH):
- 610x1520mm
- Unit Weight: 22kg



Code	WAS	NOW
V1250	_\$420	\$372

· Heavy duty welded steel construction Powdercoated steel frame with poly load protectors Flat free wheels • 'P' shaped handle offers the user better comfort & allows single handed use Material: Welded Steel · Drop down extendable base to support longer heavier loads Load Capacity: 300kg • Wheel Size: 280mm Foot Plate Size (WxD): 350x240mm Overall Size (WxH): . 525x1305mm • Unit Weight: 15kg Code WAS NOW

\$245

WAS

\$269

P Handle Trolley with extended Foot

NOW

\$239

\$215

Equipment Roller Skates

- Ideal for linear motion, repetitive movement or use as a built in component in equipment
- Fixed hole pattern for bolt mounting
- The rollers can be used in up down or sideways position
- Load Capacity: 2500kg
- Hole Centres A: 64mm
- Hole Centres B: 140mm
- Overall Size: (LxWxH)
 165x180x90mm
- Unit Weight: 10kg



Code	WAS	NOW
V1355	_\$198	\$175

V1257

Basket Picking Trolley

- Ideal for use in clothing stores, mail rooms & order picking in warehouses
- 2 mesh baskets allow various sized items to be moved
- Electro galvanised finishSupplied flat packed
- Load Capacity: 100kg
- 100mm Rubber castors: 2 x swivel & 2 x swivel with brake
- Distance between baskets: 300mm
- Size of Lower basket (LxWxH): 605x400x110mm
- Size of Top Basket (LxWxH): 605x400x360mm
- Overall Size (LxWxH): 690x410x950mm
- Unit Weight: 13kg

Code	WAS	NOW
V1677	_\$339	\$298

Mesh Trolley with Folding Lid

- Perfect solution for hospitals, laundries & nursing homes etc
 Lockable lid ensures
- goods are stored securely
- Load Capacity: 100kgWhite powder coated
- finish • 100mm Polyurethane
- castors: 4 x swivel
- Size of basket (LxWxH): 770x570x430mm
- Overall Size (LxWxH):
 800x600x915mm
- Unit Weight: 18kg



400L Plastic Bin Trolley

- Heavy duty rotomoulded bin with 25mm steel tubular frame
- Castors: 2 x fixed & 2 x swivel
- Load capacity: 400kgTrolley size including handle:
- (LxWxH) 1400x710x850mm • Bin Size (LxWxH): 1280x780x640mm
- Internal base size of bin (LxW): 1040x540mm
- Internal top size of bin (LxW): 1170x650mm
- Bin is ribbed for extra strength
- Material: Polyethylene

Code	Details	Unit Weight (kg)	WAS	NOW
V1273W	400L Plastic Bin Trolley	44	\$655	\$580
V1275	Plastic Bin Tub	12.6	\$455	\$405

V1275

V1273W

Mesh Trolley

- The Mesh Trolley is suitable for holding and storing a large variety of items
- Ideal for use in hospitals, warehouses, schools & sporting events etc
- Optional lid for storing items securely
- Load Capacity: 100kg
- Electro galvanised finish
 Polyurethane castors: 2 x swivel & 2 x swivel
- with brakesCastors: 125mm
- Overall Size (LxWxH): 830x630x735mm
- Unit Weight: 18kg



Code	WAS	NOW
V1683	_\$399	\$355

Mesh Trolley with Folding Lid & Side

- Attached lid holds items safely & securely
- Ideal for use in hospitals, warehouses, schools & sporting events etc
- Foldable side & lid for easy access to products
- Supplied with a padlock
- Electro galvanised finish100mm Polyurethane
- castors: 2 x swivel & 2 x swivel with brakes
- Load Capacity: 150kgOverall Size:
- 1180x662x858mm
- Mesh Size: 50x50mmUnit Weight: 28kg
- Unit weight. 20kg



Code	WAS	NOW
V1682	_\$545	\$485

Ezi Mover Trolley

- Ideal for both indoor or outdoor use
- Featuring a robust black powdercoated frame, this trolley is compatible with three different sizes of plastic bins, offering flexibility & convenience for various storage & transportation needs
- Load Capacity: 70kg
- Front Castors: 125mm
- Rear Wheels: 260mm
- Height to top lip: 790mm
- Overall Size (LxWxH):
- 1025x607x955mm • Unit Weight: 10kg
- Please note plastic tubs are sold separately*



Code	WAS	NOW
V1615	_\$495	\$440

Retail Stock Trolley

Nestable Basket Trolley



2 Sided Roll Cage Trolley



4 Sided Roll Cage Trolley



All Terrain Platform Trolley

· Built for construction sites & general warehouse use, this heavy-duty trolley combines robust construction, maneuverability & versatility to streamline material handling operations in challenging environments Handle activated brake Swivel handle for steering • Optional sides available online Powder coated frame with plywood deck • Overall Size (LxWxH): 1200x690x397mm • 4 x pneumatic wheels with steel rim Dynamic Load Capacity: 650kg Static Load Capacity: 1300kg ٠ . Castors: 300mm • Unit Weight: 49kg Code WAS NOW V1063 \$1,535 \$1,365

Stack & Nest Dollie/Crates


V7832 & V7834:

- Manufactured from food grade polypropylene
- Crates are BPA free
- Crates are made of virgin material
 More colours & sizes available online V7843:
- Zinc plated wheels with bearings
- 4 Swivel Castors
- Stackable for secure storage
- Load Capacity: 250kg
- Designed to fit our number 7, 10 or 15 stack & nest bins





Code	Details	Overall Size (mm)	Unit Weight (kg)	WAS	NOW
V7832R	No. 7 Bin - 32L Capacity	645x413x210	1.6	\$20.50	\$18.50
V7834R	No. 15 Bin - 68L Capacity	645x413x397	2.4	\$41.10	\$36.50
V7836	Plastic Crate Lid to suit Bins	645x413	0.2	\$11.85	\$10.50
V7843	Stack and Nest Crate Dollie	610x405x170	4.5	\$125	\$110



2 Tier Rubber Top Trolley

- Rubber top shelf prevents items from sliding off
 Load Capacity: 300kg
- Load Capacity: 300kg
 Overall Size (LxWxH): 1095x660x1050mm
- Handle Height: 1050mm
 125mm Rubber Castors: 2 x fixed & 2 x swivel
- with brakes

 Shelf Size: 960x655mm
- Shelf Heights: 184mm
- (lower), 875mm (upper) • Unit Weight: 33.5kg
- For optional accessories see pg.9
- Please note tubs are sold separately & can be found online


Code

V1887




Code	WAS	NOW
V1884	_\$870	\$775

Full Cage Trolley with Double Swing Door



Mesh Cage Trolley with Drop Down Gate



- 125mm Rubber Castors:
 2 x fixed & 2 x Swivel with brakes
- Optional 200mm Pneumatic
 Wheel Kit with Floor Lock
- Load Capacity: 300kg
- Load Capacity with wheel kit: 200kg
- Overall Size: (LxWxH): 1095x660x1050mm
- Internal Dimensions:
- 910x630x690mm
- Handle Height: 1050mm
- Base Height: 184mmMesh Size: 50x50mm
- Mesn Size: 50x50mm
 Door Opening Height: 550mm
- Unit Weight: 45kg
- For optional accessories please see below


see below		
Code	WAS	NOW
V1889	_\$795	\$705

2 Tier Steel Half Height Basket Trolley

- Mesh basket as top tray with 25mm punch holes
- Load Capacity: 300kg
 Overall Size (LxWxH): 1095x660x1050mm
- Basket Size (LxWxH):
- 905x600x375mm • Handle Height: 1050mm • 125mm rubber castors:
- 2 x fixed & 2 x swivel with brakes
- Base Height: 184mmUpper Level Height:
- 530mm
- Distance between Shelves: 313mm
- Unit Weight: 42kg
 For optional accessories please see below

Code

V1893



Accessories to suit Steel Trolleys





Large Powered Platform Trolley

- Great for both indoor & outdoor use
- . Platform has an anti-slip grip
- Rubber bumper edge •
- Emergency stop button
- Comes with forward & reverse drive options
- · Variable speed controller
- Powered by 3 x 12V / 55Ah batteries .
- Battery lasts for 6 hours, continuous operation
- Wheel Size: 310mm (pneumatic)
- Clearance From Battery Box to Ground: 75mm
- Moving Speed: 3-6km/h
- Supplied standard removable cage •
- Load Capacity: 800kgs
- Handle Height: 950mm
- Overall Size (LxWxH):2070x900x980mm .
- . Platform Size: 1400x900mm
- Platform Height: 385mm
- Unit Weight: 170kg

Code

V1066




Powered Dump Truck Trolley

WAS

\$5,995



Self Propelled Electric Scissor Lift Trolley - Single Scissor



Powdercoated Spring Pallet Elevator

Can be moved with a standard pallet truck Keeps active layer of load at or above waist height, eliminating bending & lifting No ground fixing required Powder coated finish . Load Capacity: 2000kg Table Diameter: 1110mm • Fork Pocket Centres: 615mm Fork Pocket Size: 300x90mm Low Height: 290mm Max Height: 750mm . Unit Weight: 195kg Watch a video of this in operation on our website here: www.verdex.com.au/V2134 WAS Code NOW V2134 \$2,065 \$1,835

Scissor Lift Trolley - Single Scissor

- · Safety overload bypass valve
- Positive braking system on rear wheels
- Foot operated hydraulic operation
- Lever release control
- Powdercoated finish
- · Stepless rate of lowering
- regardless of load weight Platform Size: 850x500mm
- Minimum Height: 340mm
- Maximum Height: 900mm
- Load Capacity: 300kg
- Unit Weight: 77kg

Pallet Rotator Ring Turntable

- · The rotator ring is popular due to its light weight & easy maneuverability
- It can be moved easily by one person & placed in areas where required
- Great for loading & unloading pallets quickly as you can spin the pallet around by hand as you require
- Allows for quick & easy rotation of pallets to streamline loading & unloading processes
- Load Capacity: 1000kg Overall Size (WxH):
- 1000x65mm
- Unit Weight: 36kg





Code	WAS	NOW
V2140	_\$902	\$800

WAS

\$1,085

NOW

\$965

Rough Terrain Scissor Lift Trolley

- Rough terrain scissor lift trolley is ideal for outdoor applications
- Foot Pedal Cycles to Max Height: 25
- Durable powder coated finish
- Rubber castors: 2 x fixed & 2 x swivel with brakes
- Load Capacity: 200kg
- Max. Lift Height: 1000mm .
- Min. Height of Table: 330mm
- Table Size: 1000x500mm
- Overall Length: 1120mm
- Castors: 200mm
- Lifting Range: 340-1010mm

Code

V2015

0 0	•	Unit	Weight:	7lkg
-----	---	------	---------	------

Code	WAS	NOW
V2001	_\$759	\$675

Extra Large Scissor Lift Trolleys

- Foot operated hydraulic operation with lever release control & positive braking system on rear wheels
- Safety overload bypass valve
- . Durable powdercoated finish
- Stepless rate of lowering
- V2020: 125mm Polyurethane castors: 2 x fixed & 2 x swivel with brakes Unit Weight: 154kg Lifting Range: 290-915mm Table size: 1600x810mm
- V2021: 180mm Nylon castors: 2 x fixed & 2 x swivel with brakes Unit Weight: 198kg Lifting Range: 360-1360mm Table Size: 2035x750mm

Code	Details	WAS	NOW
V2020	Extra Large Scissor Lift Trolley (500kg Capacity)	_\$1,541	\$1,370
V2021	Extra Large Scissor Lift Trolley (1000kg Capacity)	\$2,365	\$2,100





Powdercoated Pallet Truck




Stainless Steel Pallet Truck (Euro Size) Ideal for industries where

corrosive acids are used Front wheels are fully enclosed which is a requirement for clean rooms & food areas Load Capacity: 2000kg . Grade of Stainless: 316 Tine Size: 60x160mm Steering Wheel Size: 50x200mm Nylon wheels . . Width: 520mm Minimum Height: 85mm Fork Length: 1150mm • Unit Weight: 72kg Watch a video of this in operation on our website here: www.verdex.com.au/V2341 Code WAS NOW

\$3,995

Galvanised Pallet Truck (Standard Size)





\$3,450

Pallet Truck with Load Scales Features a lithium battery giving approx 4200 weighting actions Digital display readable from any angle in ambient lighting Optional scale printer unit available on request Powder coated finish Load Capacity: 2000kg Unit shows a low battery Width: 690mm warning & shuts off after Scale Increments: 1kg 3 minutes Steering Wheel Size: 50x180mm Tine Size: 50x182mm Fork Length: 1150mm Minimum Fork Height: 76mm Unit Weight: 113kg Watch a video of this in operation on our website here: www.verdex.com.au/V2350 WAS NOW

\$2,480

\$2,205

V2341

The Edge - Electric Pallet Truck

- · Load Capacity: 1500kgs
- Length of Tines: 1185mm . •
- Min Fork Height: 85mm • Lowered Height: 80mm
- Lift Height: 115mm
- . Raised Height: 195mm
- . Wheel Type: Polyurethane
- Travel Speed (unloaded): 5.8 Km/h
- Turning Radius: 1330mm
- . V2385 Overall Size (LxW): 1530x685mm
- V2388 Overall Size (LxW): 1530x540mm
- Electric Brake
- Brushless AC motor •
- Emergency stop button
 - Watch a video of this in operation on our website here:





Battery: 24V 20Ah (3-6 Hour Battery Life)



NOW

\$1,165

NOW

\$3,065



		www.verdex.com.du/v2385		
	Code	Details	WAS	NOW
	V2385	The Edge - Electric Pallet Truck 1500kg - 685mm wide	\$3,895	\$3,450
	V2388	The Edge - Electric Pallet Truck 1500kg - 540mm wide	\$3,895	\$3,450
ĺ	V2386	The Edge - Additional Battery 24V 20Ah	_\$640	\$565



- This Manual Fork/Platform Stacker combines ease of use, versatility & robust construction, making it suitable for a wide range of material handling tasks Foot pump hydraulic lift
- Comes with a removable platform & have 2 adjustable fork tines under platform for lifting skids & pallets
- Powder coated finish
- . Load Capacity: 400kg
- Polyurethane castors: 2 x fixed & 2 x swivel with brakes
- Overall Size (LxWxH): 1040x590x1710mm
- Rear Castors: 125mm
- . Front Castors: 75mm

Code

V2230

- . Platform Size: 660x580mm
- Fork Length: 650mm
- Lifting Range: 75-1500mm •
- Unit Weight: 85kg





Electric Fork / Platform Stacker

WAS

\$1,312

- · Combines the convenience of electric operation with the versatility of adjustable fork tines, making them suitable for various material handling applications
- Electric hydraulic lift
- Battery: 12v 80Ah
- · Comes with a removable platform & have 2 adjustable fork tines under platform for lifting skids & pallets
- Polyurethane castors: 2 x fixed & 2 x swivel with brakes
- Load Capacity: 400kg
- 125mm lockable rear castors .
- . 75mm front castors
- . Platform Size: 660x580mm
- Fork Length: 650mm

Code

V2231

- Lifting Range: 80-1500mm •
- Overall Size (LxWxH): 1040x590x1710mm Unit Weight: 120kg
 - Watch a video of this in operation on our website here:



WAS

\$3,447



Roll Prong

- This forklift roll prong is ideal for lifting rolls of carpet, fabric, cable & other coil products Prong is made from solid steel
- Quick to attach only requires the connection of a safety chain to the forklift load guard to prevent unintentional disengagement
- Prong Overall Length: 3940mm
- Fork pocket Size: 190x65mm
- Fork pocket centres: 345mm
- Enamel paint finish
- Safe Working Load: 510kg
- Load Centre: 1400mm
- Prong Diameter: 70mm
- Prong Length: 2800mm
- HCG: 1553mm
- Unit Weight: 163kg





4.5 Tonne Telescopic Short Jib

General purpose jib which is great for confined spaces & has a 1.9 metre reach when fully extended Finish: Zinc plated 4 jib positions Safe Working Load: 4500kg Jib Length (when closed): 1250mm Jib Length (when extended): 1900mm Load Centre: 670mm HCG: 542mm *Jib fully extended Fork Pocket Size: . 185x65mm Fork Pocket Centres: 290mm Unit Weight: 95kg Code WAS NOW V2420 \$1,265 \$1,420

Engineered for strength & reliability, this hydraulic jack makes light work of heavy loads, ensuring efficient & safe lifting operations in industrial settings Great for jacking up containers & large equipment The housing rotates 360 degrees Load Capacity: 10,000kgs Lifting Range of Foot: 30-230mm Lifting Range of Head: 420-650mm Removable pump hand lever Maximum Lever Force: 40kg . Unit Weight: 35kg Code WAS NOW V2450 \$550 \$618

10 Tonne Hydraulic Jack

Automatic Pallet Hook

- Designed & certified in accordance with the relevant Australian Standards
- Self levels automatically
- Finish: Zinc plated
- Safe Working Load: 250-2000kg
- Load Centre: 600mm
- Adjustable Tine Size: . 100x45x1055mm
- Clearance: 1355mm (minimum distance between tines & head)
- Shipping Size: 1200x1250x1800mm • Unit Weight: 196kg

	D
	Í
	1

Fork Spreader with Load Guard

· Safely lift extra wide or flexible loads without the risk of damage to products such as plasterboard, roof sheeting, timber, plastic tubing etc. The fork spreader evenly distributes the load over the length of the attachment with a load back guard to help secure high loads. The slip-on attachment is secured to the lift truck by a safety chain Capacity: 3000kg at 600mm Load Centre Spreader Width: 3000mm • • Spreader Depth: 1200mm Load Guard Height: 560mm Pocket Size: 160x60mm Pocket Centres: 872mm • Tine Size (LxWxH): 1050x100x45mm • Unit Weight: 255kg Code WAS NOW V2476 \$2,480 \$2,205

Forklift Cable Drum Slippers

- These Forklift Cable Drum Slippers are used to handle & transport large cable drums or reels
- Designed to fit onto the forks of a forklift, allowing the forklift to safely lift & move cable drums without damaging the drums or the forklift
- Designed & fabricated strictly in accordance
 with relevant Australian Standards
- Powder coated finish
- Designed to suit spindle up to 50-80mm diameter
- Supplied with 1200x48mm spindle
- Capacity: 2000kg
- Load Centre: 1200mm
- Max tine size: 155x55mm
- Tine Length: 1300mm
- HCG: 664mm
- VCG: 50mm
- Unit weight: 62kg





Code	WAS	NOW
V2419	_\$1,080	\$960

Hook Drum Lifter

- Suitable for both steel & plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
 Ideal for picking up a drum in the middle of a cluster
- in the middle of a cluster
 without having to move any that are in front
 Ideal for various industrial
- & commercial applications requiring drum handling • Powder coated finish
- Capacity: 500kg
- Overall Size: (HxWxD)
- Overdin Size. (INWXD) 215x711x711mm
 Unit Weight: 13kg



um handling ted finish 00kg (HxWxD) m 13kg

		•	
Code	WAS	NOW	
V5056	\$279	\$248	

Drum Tipper / Dumper • Fast & efficient solution to emptying 210L steel drums, ideally suited to waste & scrap products Secured with the sturdy belly strap & locked in place with the over-centre catch & locking pin Zinc Plated finish Fork pocket size 185x65mm Working Load Limit (WLL): 500kg HCG: 696mm Rotational ability 180° Load centre: 1000mm Overall Size (LxWxH): 1400x1040x600mm

- Pocket centres 840mm
- Unit weight: 85kg

	Code	WAS	NOW
	V5069	\$935	\$835

6 Tonne Capacity Container Ramp

- **General Purpose Plastic Step Stool**
- Ideal for offices, libraries & archive areas where safe & convenient access to elevated spaces is needed
- Designed to provide safe & reliable access to elevated spaces in your workplace, enhancing efficiency & productivity while ensuring user safety
- Strong plastic construction with non-slip steps
- Anti-skid rubber feet
- Load Capacity: 175kg
- Overall Size: 510x510x370mm
- Platform Size: 390x390mm
- Height: 370mm
- Unit Weight: 3.3kg

Code	WAS	NOW
V4101	_\$132	\$115

VERDEX 175KG



WAS

\$995

- These Fibreglass Industrial Platform Ladders are ideal for a wide range of industrial applications, including maintenance, construction & warehouse operations
- Their durable fibreglass construction makes them suitable for use in challenging environments where electrical hazards may be present
- Large anti-skid work platform with raised edges - keeps feet in side the platform for greater safety & comfort
- One piece, smooth operation
- simply folds out & locks

• This versatile container

purposes

easy transport

Width: 2200mm

Length: 1200mm

Fork Centres: 800mm

Code

V4010

Height: 160mm

as pictured

.

.

Capacity: 6000kgs

Unit Weight: 180kgs Finish: Painted yellow

ramp is ideal for unloading

of pallet trucks or forklifts,

making it perfect for various

This is a one piece unit with

forklift slots at the front for

Supplied with 2 safety chains

containers with the assistance

- Platform height: 900mm
- Platform size: 600x600mm Ladder height (open): 1800mm
- Rated to 150kgs Complies to AS/NZS 1892:1998
- Unit Weight: 13kg

 V4230
4
Å

NOW

\$885

Code	Details	WAS	NOW
V4210	Fibreglass Industrial Platform Ladder 3 step	_\$325	\$289
V4230	Safety Gate to suit Platform Ladder	_\$145	\$130



Peg Board Tool Trolley

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools & equipment
- Load Capacity: 250kg
- Powder coated light grey finish • 75mm rubber castors: 2 x fixed
- & 2 x swivel with brakes
- Handle Height: 825mm
- Shelf Heights: 160+510+900mm
- . Shelf Size: 595x405mm
- Back Panel Size: 605x440mm Overall Size: (LxWxH)
- 670x415x1730mm
- Unit Weight: 43.5kg

	E. C.		
Code	WAS	NOW	
V7225	\$475	\$420	

Quad Deck Tool Cart

- Excellent tool cart with square hole pegboard
- Supplied with accessories Tray depth: 50mm
- Rubber castors: 2 x swivel & 2 x swivel with brakes
- Load Capacity: 300kg
- Castors: 100mm
- Shelf Heights:
- 170+370+570 +770mm Shelf Size: 585x405mm
- Overall Size: 680x430x1215mm
- Unit Weight: 24kg



Code	WAS	NOW
V1466	_\$695	\$615

Electric Expanding Roller Conveyors

- Flexible & expands from 1500-4000mm & can be joined to make I continuous powered conveyor system
- Great for loading & unloading containers
- Easy & quick setup with adjustable height legs & 125mm brake castors on every leg
- Quiet operation 240V AC motor with forward & reverse action & adjustable roller speed
- Capacity: 140kg per metre Length Retracted: 1500mm
- Watch a video of this in operation on our website here: ww.verdex.com.gu/V3031

Code	Details	WAS	NOW
V3031	Powered Conveyor - 610mm wide	\$7,440	\$6,620
V3032	Powered Conveyor - 760mm wide	\$7,685	\$6,840

Large Dustpan Sets

V6404

- Brush Bristle Material: Polyethylene Terephthalate
- Dustpan Material: Polypropylene
- Overall Size: 405x320x70mm
- V6405 Handles are made from durable
- powder coated steel Broom head is constructed from durable polypropylene plastic
- Broom Handle: 20mm
- Dustpan Handle: 25mm
- 140mm long Synthetic Bristles
- Overall Size: 340x280x1350mm
- Opening Size: 300x100mm .
- Broom Size: 340x50x1215mm



Code Details Unit Weight (kg) V6404 Large Dust Pan with Brush Set 0.4 \$19.25 \$17 V6405 1.8 \$56 \$49 Large Dust Pan & Broom Set

Skate Wheel Expanding Conveyor

Bolted steel construction with skate wheels Self tracking flexible expanding conveyor which expands from 1100-4000mm & can be joined to make 1 continuous conveyor system Excellent for truck & container unloading & for assembly lines Easy & quick setup with adjustable height legs & 125mm brake castors on every leg Reduces manual handling Capacity: 100kg per metre Length Retracted: 1100mm Length Expanded: 4000mm • Height Range: 690 - 1000mm • Unit Weight: 142kg Watch a video of this in operation on our website here: www.verdex.com.au/V3007

	EIG-842%		
Code	WAS	NOW	
V3007	\$2,365	\$2,105	

XL Lobby Pan with Broom

V6401

- Industrial Broom with Squeegee
- Durable 25mm Powder coated Steel Handle
- 60mm long Synthetic Bristle
- Overall Size: 590x100x1420mm V6411
- Extra Wide (360mm) & tall (230mm) mouth & large pan for commercial use
- Thick aluminum handle that won't rust
- Lobby Pan Size (WxH): 360x270mm
- Broom Height: 1030mm
- Broom Head Width: 320mm

Code	Details	Unit Weight (kg)	WAS	NOW
V6401	Industrial Broom with Squeegee	1.3	\$39	\$35
V6411	XL Lobby Pan with Broom	2	_\$56	\$49

V6401

V6411

Cleaning Station Shadow Board Kit

• Our Shadow Board Kit is the perfect storage **CLEANING STATION** solution for just about any cleaning station. It is great way to organise your cleaning space CLEANING STATION whilst maximising storage Board Dimensions: (HxW) 2100x110mm Overall Unit Weight: 18kg . Material: Aluminum Supplied with: • 1 x Dust Mop 1 x Industrial Broom with Squeegee 1 x Large Dust Pan & Broom set 1 x Large Dust Pan with Brush Set Watch a video of this in operation on our website here: www.verdex.com.au/V6414 Code WAS NOW V6414 \$788 \$700



Self Dumping Tipping Bin



Round Plastic Waste Bin

Double-ribbed base which increases stability & dragging capacity

- Quick & easy twist on, twist off dolly available to suit
- Capacity: 80L
- Built-in handles
- Strong tight-fitting indented lid
- Material: Polypropylene & UV stabilised
- Dimensions: (DxH) 505x615mm
- Lid Supplied
- Overall Height with Dollie: 745mm

VERDEX VERDEX V6310

Code	Details	Unit Weight (kg)	WAS	NOW
V6310	Round Plastic Waste Bin	4	_\$86_	\$76
V6320	Round Dollie to suit Bin	2	_\$54	\$48

Garbage Bins - 70L

 4 x 50mm swivel castors & hinged lid Manufactured from high density polyethylene VERDEX Resistant to decay, heat, frost, chemicals & UV Rays VERDEX Overall Size (WxDxH): 450x440x680mm Castor Diameter: 50mm Weight Capacity: 30kg V6331 Volume Capacity: 701 · Unit Weight: 2.8kg V6333

Code	Details	WAS	NOW
V6331	70L Garbage Bin - Blue	-\$98	\$87
V6333	70L Garbage Bin - Green	_\$98_	\$87

Round Plastic Waste Bin (Swinging Lid)

- Double-ribbed base & rims Strong, snap-on lids with swinging lid
- Built-in handles allow easy, non-slip lifting
- Plastic construction will not rust, chip or peel, resists dents
- Quick & easy twist on, twist off dolly available to suit
- Capacity: 80L
- Colour: Grey
- Lid Supplied
- Overall Height with Dollie: 910mm
- Overall Diameter Including Handle: 555mm
- Dimensions: (DxH) 505x780mm

Code	Details	Unit Weight (kg)	WAS	NOW
V6315	Round Plastic Waste Bin	4	_\$97_	\$86
V6320	Round Dollie to suit Bin	2	_\$54_	\$48

Foot Pedal Lid Lifting Wheelie Bins

- Foot pedal operated lid
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals & UV rays
- Ideal for food
- preparation areas Wheel Diameter:
- 200mm
- Capacity: 240L
 Overall Dimensions: (WxDxH)
- 740x590x1070mm
- Unit Weight: 9.2kg



VERDEX

V6320

V6315

Code	Details	WAS	NOW
V6340	120L Garbage Bin - Blue	_\$189_	\$168
V6341	120L Garbage Bin - Green	_\$189_	\$168

Forklift Waste Tipping Bin

- · This light weight fork waste bin is great for use in warehouses & on sites for general waste & rubbish
- Fitted standard with 2 front wheels & 1 rear wheel
- for easy • Simply p
- mechar Polyuret .
- 2 x fixed Painted .
- Load Ca
- Bin Cap
- Castors:
- Fork Poc
- Fork Poc
- Overall S
- · Height to
- Unit Wei

bly pull the cord of chanism for tippin urethane castors xed & 1 x swivel v ted finish d Capacity: 500k Capacity: 150L tors: 125mm Pocket Size: 140x Pocket Centres:	vith brake g 55mm 600mm 1160x750x805mm	es ips	
Code	WAS	NOW	
V6000	_\$1,250	\$1,105	

Forklift Sweeper Attachments


- The fork mounted attachment is a quick & easy solution for sweeping products such as sand, top soil, grain etc.
- Equipped with rachet straps to fasten securely on the forklift mast • HCG: 205mm
- Fork Pocket Size: 218x44mm
- Fork Pocket Centre: 520mm
- Number of Bristle Rows: 8
- Bristle Height: 275mm
- V6035 Size: 1500x465x326mm
- V6036 Size: 1800x465x326mm •
- V6035 Unit Weight: 75kg
- V6036 Unit Weight: 85kg

*	

VERDEX

Code	Details	WAS	NOW
V6035	Forklift Sweeper - 1500mm	_\$1,820	\$1,620
V6036	Forklift Sweeper - 1800mm	\$2,248	\$1,998

Drop Bottom Bin (with Mesh Sides)



Verdex Battery Electric Bin Tipper (with Remote)

 The Verdex Battery Electric Bin Tipper (with Remote) is everything a bin tipper should be - safe, economical & easy to use. Ideal for schools, factories, recycling centres & more

Rugged powder coated frame
 Wireless Remote Control allowing

- Wireless Remote Control, allowing user to control from a distance
 Indoor or outdoor use
- Lockout key & two-hand controls for safety
- Approximately 20 seconds to empty a bin
- Capable of tipping 2.5 tonnes of waste per charge
- If left plugged in on permanent charge, it can empty up to 10 tonnes per day
- Suits popular bin sizes 80L, 120L, 140L & 240L, with no adjustment
- Castors: 125mm, 3 with brakes
- Lift Height: 1600mm
- Mast Height: 2485mmOverall Height When Tipping:
- 2660mm • Width: 1019mm
- Depth: 930mm
- Safe Lifting Capacity: 150kg
- Unit Weight: 137kg






Lockout key & two-hand controls for safety



Verdex Auto Wheelie Bin Tipper (1.8 Metres)

- The robust, fully enclosed Verdex bin tipper is the safest & most innovative unit of its kind. It comes standard with an 1800mm tipping height which is suitable for almost every environment & application The unit is grant for the standard st
- The unit is super efficient & incorporates an Auto Tip feature & can also be operated from a distance via a remote control hand piece
- For added safety it is fitted with interlocking doors to remove the risk of anything obstructing the cradle while in use
- The Verdex Bin Tipper has a capacity of 250kg & the standard multipurpose cradle is designed to accommodate 80, 120 & 240 litre bins
- Achieves CAT I Safety RatingPower Supply: Battery with 240v built
- in charger
- Capacity: 250kgOverall Width: 1025mm
- Overall Width: 1025mm
 Overall Length: 1170mm
- Tipping Height: 1800mm
- Overall Height: 2865mm
- Unit Weight: 276kg










Hand held remote control unit is supplied as standard



VERDEX



Semi-Auto Strapping Machine


· Compact & light-weight with easy transportation & only requires a small space for installation Adjustment for use of any strap in a /ERDEX width up to 15.5 mm can be made by 000 44 slackening off only four screws Electric adjustment for strap length & tension VERDEX PP Strapping Width: 5 - 15.5mm PP Strapping Thickness: 0.6-1.0mm • • Max Strapping Tension: 5-40kg Strapping Speed: 2.5 Seconds/Strap Max Loading Weight: 180kg Table Height: 750mm Overall Size (LxWxH): 785x545x750mm • • Unit Weight: 60kg Watch a video of this in operation on our website here: www.verdex.com.au/V7760 WAS Code NOW V7760 \$1,485 \$1,320

Fully-Auto Stretch Wrapping Machine

- The Verdex Fully Auto Stretch Wrapping Machine is ideal for those demanding applications where ease of operation and efficiency is required. This fully auto wrapper can be film tensioned by the turn of the dial on the control panel meaning you can get optimum pre stretch results without the hassle of manually adjusting the film carriage brake
- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Photocell eye for automatic height detection
- Automatic & Manual wrapping programs
- Soft-start & stop turntable drive Ramp is supplied as an optional extra •
- Ramp can be positioned anywhere around the turntable
- Ramp is great for pallet truck access
- Ramp Finish: Powercoated Blue
- Ramp Overall Size (WxLxH): 1000x1500x80mm
- Ramp Weight: 56kg
- 250% Pre-Stretch film carriage
- · Heavy-duty industrial chain driven turntable Forklift relocation slots for easy machine
- transportation
- Eliminate the need for labour intensive, inefficient manual hand wrapping
- Rugged steel construction for long-term reliability Standard 12 month warranty
- Max height of wrapping: 2100mm
- Load capacity: 1500kg
- Fork Pocket Size: 154x54mm
- Fork Pocket Centres: 570mm
- Max pallet size: 1200x1200mm
- Turntable diameter: 1500mm
- Overall Machine Dimensions:(LxWxH) 2455x730x2200mm
- Turntable Height: 80mm
- Turntable speed: 1-12 RPM
- Stretch film size: 500mm
- Power supply: 240v, single phase
- Machine weight: 435kg
- Watch a video of this in operation on our website here: ww.verdex.com.au/V7742 WAS Code V7742 \$12,300



Electronic Screen with 'soft touch' controls



Comes supplied with a toolbox with all the necessary tools for assembly of the wrapping machine

NOW

\$10,900

Stor-Pak Bins

- · Ideal for small parts storage
- Sit them on shelves, benches, stack them or clip them to louvre panels
- Hospital grade material bacterial & chemical free
- Colours: green, red, yellow, orange, blue & clear
- Dividers available for #60, . #120 & #240 bins

IH-062

IH-200

IH-063



Code	Details	Size (mm)	CTN QTY	NOW
IH-060	Stor-Pak No.5	110x115x60	12	\$31.20/Ctn
IH-061	Stor-Pak No.10	100x170x85	6	\$21.30/Ctn
IH-062	Stor-Pak No.25	133x220x125	6	\$33.60/Ctn
IH-063	Stor-Pak No.60	200x275x165	6	\$64.50/Ctn
IH-064	Stor-Pak No.120	410x275x165	5	\$81/Ctn
IH-065	Stor-Pak No.240	410x440x210	4	\$114/Ctn
IH-200	Stor-Pak No.80	200x440x165	6	\$94.20/Ctn
IH-058	Divider for bins #60 & #120	-	40	\$2.50 ea
IH-057	Divider for bin #240	-	45	\$4.50 ea

Open Steel Shelving Unit

· This steel shelving is roll formed from premium

integrity for both office

& warehouse storage

Supplied flat packed

- Easy to assemble

Optional Shelves are

Overall Size: (LxWxH)

100kg shelf load capacity

Supplied with 4 x Shelves

available & sold in pairs

V7085: 890x455x2200mm

V7086: 887x420x25mm

(V7085 Can fit up to 14 shelves at 118 pitch)

Max Load Capacity Per Bay:

applications Colour: Silver Grey

•

.

•

500kg

as standard

Unit Weight: V7085: 40kg V7086: 3.25kg

pre-painted steel to ensure durability & engineering

٧7	08	6

Code	Details	WAS	NOW
V7085	Open Steel Shelving Unit	_\$435	\$387
V7086	Extra Shelves to suit (sold as a pair)	_\$42	\$38

Spare Parts Trays with Dividers

- Strong oil resistant parts trays with dividers that can be repositioned to suit. Ideal for Trade, Workstations, Medical Operators, Car, Home, Office or Workshops
- Parts trays are available in 6 different sizes
- Hospital grade material bacterial & chemical free
- Will fit standard shelving Dividers can be removed
- or added Front grab handle with
- name slot
- Resists oils & dirt



IH-026


IH-233

Code	Details	Size (mm)	CTN QTY	NOW
IH-012	Spare Parts Tray No.12	300x100x100	24	\$135.60/Ctn
IH-017	Spare Parts Tray No.17	400x100x100	24	\$164.40/Ctn
IH-024	Spare Parts Tray No.24	300x200x100	12	\$104.40/Ctn
IH-025	Spare Parts Tray No.25	400x200x100	12	\$125.40/Ctn
IH-027	Spare Parts Tray No.27	600x100x100	12	\$129/Ctn
IH-028	Spare Parts Tray No.28	600x200x100	6	\$87.60/Ctn
IH-230	Spare Parts Tray No.30	300x300x100	8	\$107.20/Ctn
IH-231	Spare Parts Tray No.31	400x300x100	8	\$130/Ctn
IH-232	Spare Parts Tray No.32	600x300x100	4	\$105/Ctn
IH-014	Dividers to fit #12, #17, #27	100 (w)	12	\$6/Ctn
IH-026	Dividers to fit #24, #25, #28	200 (w)	12	\$9/Ctn
IH-233	Dividers to fit #30, #31, #32	300 (w)	12	\$17.40/Ctn

IH-014

Steel Shelving Parts Tray Kits

- Steel Shelving Kits supplied with our Spare Parts Trays
- Colour: Silver Grey . Supplied flat packed - Easy to assemble
- 100kg shelf load capacity
- Max Load Capacity Per Bay: 500kg Overall Size: (LxWxH)
- 910x400x2200mm Unit Weight:
- V7082: 118kg V7083: 95kg V7084: 105kg
- Our full range of Stor-Pak Bins & Parts Trays can be found online*



IH-025 IH-017 IH-025 Parts Tray Size: (with 3 dividers)

IH-017 Parts Tray Size: (with 3 dividers) 400x100x100mm

Code	Details	WAS	NOW
V7082	Kit Supplied with 120 x IH-017 Parts Trays	\$1,697	\$1,510
V7083	Kit Supplied with 60 x IH-025 Parts Trays	\$1,512	\$1,345
V7084	Kit Supplied with 48 x IH-017 & 36 x IH-025 Parts Trays	\$1,591	\$1,415

400x200x100mm

	And a second second
1	
	The second second
	V7085

Flammable Liquid Cabinet -250L Capacity

WAS

\$2,015

High quality construction using zinc coated steel sheeting

- Powdercoat finish
- Supplied with all relevant safety signage & directions
- Adjustable slow release user friendly hydraulic door control closure systems
- Adjustable & removable shelves Cabinet sits on feet for easy cleaning
- underneath
- Storage Capacity: 250 litre
- 4L Drum Capacity: 70
- 20L Drum Capacity: 9
- No. of Shelves Supplied: 3 Made to AS1940-2017
- •
- Door Opening Size: 1015x1605mm Internal Size (LxWxH): 1015x410x1605mm
- External Size (LxWxH): 1100x500x1850mm
- Unit Weight: 165kg ٠

Code

V7610



NOW

\$1,795

Designed to comply with relevant Australian Standards LPG Cylinder Capacity: 4 Door Opening Size:

.

- 650x810mm
 - Internal Size (LxWxH): 690x680x845mm

Heavy duty steel construction

storage cages specifically

cylinders used on forklifts

Powdercoated green Cylinder chain restraint

designed for storage of LPG

All cages have padlockable doors for increased safety

- External Size (LxWxH): 730x730x990mm
- Unit Weight: 43kg



Code	WAS	NOW
V7621	\$995	\$885

Flammable Liquid Cabinet - 30L Capacity

DANGER

NO SMOKING

O IGNITION SOURCES

MITHIN 3N

MAX CAPACITY

- High quality construction using zinc coated steel sheeting
- Powdercoat finish
- Includes all relevant safety signage & directions
- Adjustable slow release hydraulic door control closure systems
- Stainless steel continuous pin hinging Made to AS 1940-2017
- Door Opening Size: 420x555mm
- Storage Capacity: 30L
- 4L Drum Capacity: 8
- 20L Drum Capacity: 1 •
- No. of Shelves: 1
- Internal Size (LxWxH): • 420x375x555mm
- External Size (LxWxH): 505x465x800mm
- Unit Weight: 43kg

Code	WAS	NOW
V7650	_\$1,085	\$965

Aerosol Cage - 216 Can Capacity (Upright)

WAS

\$1,382

- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green
- Features lockable doors & bolt down plates for added security
- Complies with relevant Australian Standards
- Can Storage Capacity: 216 cans
- Door Opening Size: 770x1720mm
- Distance between shelves: 365
- (Top) 325 (1-4 levels) Internal Size (LxWxH):
- 847x368x1750mm External Size (LxWxH):

Code

V7664

850x400x1800mm • Unit Weight: 77kg

NOW

\$1,225

Aerosol Cage - 12 Can Capacity

- A safe & organized storage solution for aerosol cans, suitable for industrial, commercial & workshop environments
- Heavy duty steel construction storage cages designed specifically for aerosol cans
- Powercoated green

Features lockable doors & bolt down plates for added security

- Complies with relevant Australian Standards
- Can Storage Capacity: 12 cans
- Door Opening Size: 440x320mm Internal Size (LxWxH):
- 490x205x355mm External Size (LxWxH):
- 500x250x400mm Unit Weight: 12kg
 - Code WAS NOW V7660 \$455 \$510




Single IBC Bunded Pallet

- · A reliable solution for safely storing & handling IBCs
- Heavy duty bunded pallets made from UV stabilised polyethylene
- Removable grate & nestable when not in use for easy storaae
- Easy forklift & pallet truck entry
- Corrosion Resistant
- Complies with safety standard
- & EPA requirements Complies with AS4326-2008, AS2714-2008, AS/NZS-4452-1997, AS3780-2008
- SWL: 3000kg (static)
- Overall Size (LxWxH):
- 1350x1350x900mm
- Unit Weight: 71kg

Code	WAS	NOW
V7677	\$2,100	\$1,869

Fork Gas Storage Cage - 4 Cylinders

Vented Collapsible Bin & Lid



Large Stackable Stillage Cage

- This Large 4 Post Stillage Cage is an excellent form of warehouse & yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse
- Stackable 2 x high when fully loaded & 4 x high empty
- Load Capacity: 1000kg
 Overall size: (LXWXH)
- Overall size: (LxWxH) 2550x1165x1200mm
- Internal Size: (LxWxH) 2140x1165x1025mm
- Fork Pocket Centre: 850mm
- Fork Pocket Size: 154x62mm
- Zinc Finish





Code	Details	Unit Weight (kg)	WAS	NOW			
V7586	Large Stackable Stillage Cage	97	_\$1,545	\$1,375			
V7587	Fork Entry Bar to suit Stillage Cage	-	-\$68	\$60			
V7588	Stopper/Divider to suit Stillage Cage	-	_\$19	\$16	V7586	V7587	V7588

Heavy Duty Longspan Shelving (with Steel Shelves)

- This heavy duty longspan shelving system is a strong & versatile shelving system which is great for any storing small parts & archives
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- extra shelf levels can be ordered for each set
- End frames are supplied assembled for quick & easy setup
 Step begree which the steel dealers of finale with the left
- Step beams which the steel decks sit flush with the beam
 Shelf Capacity: 390kg/level 1800(L) Beam, 290kg/level 2400(L) Beam
- For overall bay length add 60mm per frame
- Optional extra shelves are available to suit online
- 900mm deep shelving


Code	Details	Dimensions (HxWxD)	WAS	NOW
V8410	Longspan Shelving Set - Steel	1800x1800x900mm	_\$818	\$730
V8411	Longspan Shelving - Add on Bay	1800x1800x900mm	_\$731	\$ 650
V8412	Longspan Shelving Set - Steel	2400x1800x900mm	_\$880	\$785
V8413	Longspan Shelving - Add on Bay	2400x1800x900mm	\$762	\$675
V8414	Longspan Shelving Set - Steel	1800x2400x900mm	_\$1,079	\$960
V8415	Longspan Shelving - Add on Bay	1800x2400x900mm	_ \$9 92	\$885
V8416	Longspan Shelving Set - Steel	2400x2400x900mm	_\$1,142	\$1,015
V8417	Longspan Shelving - Add on Bay	2400x2400x900mm	_\$1,024	\$910





Galvanised Mesh Cage

Stackable Stillage Cage



Low Height Storage Cage




- Pallet Rack Safe
- Powdercoated frames with gal mesh sides
- Forklift access from front & sides
- Solid steel floor Can be collapsed for
- storage Can be safely stacked 2 x high fully loaded & 4 x high empty
- Load Capacity: 1000kg Collapsed Height:
- 350mm Internal Size: (LxWxH)
- 1134x931x790mm
- Overc 1250x
- Unit V

all Size: (LxWxH) k1050x980mm Weight: 78kg		
Code	WAS	NOW
V7640	\$790	\$695

Lockable Gas Storage Cage


- Fitted with crane lifting lugs & fork pockets underneath
- Lockable door
- Full metal roof which provides weather protection Supplied with securing load
- binder
- Finish: Zinc plated Safe Working Load: 750kg
- Load Centre: 515mm
- HCG: 600mm
- Overall Size (WxDxH):
- 1060x1060x1900mm Internal Size (WxDxH):
- 930x930x1850mm
- Fork Pocket Size: 165x65mm
- Fork Pocket Centre: 665mm •
- Unit Weight: 180kg

Code	WAS	NOW
V7600	_\$1,679	\$1,495



Industrial Cabinet with 2 Drawers

7 Drawer Industrial Tooling Cabinet



Heavy Duty Industrial Work Benches - 1800 Series

- The Heavy Duty Industrial Work Benches - 1800 Series are designed to meet the demanding needs of industrial environments, providing sturdy, functional & customizable workspaces for various tasks & applications
- Heavy duty steel industrial work bench with range of accessories available to suit; including back panels, drawer units & cabinets
- 1000kg top bench capacity
- Benches are constructed from a particle board with a PVC top
 Under each bench top is made from
- Onder each bench top is made from fireproof high pressure laminate
- V7240 bench top thickness: 40mm
- V7306 bench top thickness: 53mm
- Comes standard with adjustable feet for levelling on uneven floors

 castor kit available
- Metal peg & louvre panel is great for storing parts bins & tools with a bottom tray for additional off-bench storage space
- The back panel sets come with shelves & both square hole pegboard & louvre panel as pictured
- Finish: Powdercoated light grey
 V7251 has a tilt angle of 0,15 & 30 degrees



Code	Details	Overall Size (LxWxH)	Unit Weight (kg)	WAS	NOW
V7240	Work Bench (No Under Shelf)	1800x750x900mm	66.5	_\$490	\$435
V7306	Work Bench (With Under Shelf)	1800x750x900mm	99.5		\$750
V7254	2 Tier Shelf Unit	1800x285mm	20		\$175
V7251	Adjustable Shelf Unit	1800x250mm	11		\$110
V7315	Lockable Cabinet Unit (with Shelf)	565x650x450mm	14	\$320	\$285
V7312	Lockable Drawer Unit (3 Drawer)	565x650x450mm	45.5		\$585
V7244	Lockable Drawer Unit (2 Drawer)	565x580x280mm	25.5	\$294	\$260

Half Height Industrial Storage Cabinet & Drawer Unit

- Made from reinforced sheet metal
- Great for storing tools & many
- other items in the workplace • Doors open to 180°
- 3 point key lock system
- Powdercoated light grey finish with light blue coloured doors
- Supplied standard with
- 2 adjustable shelvesExtra shelves can be purchased if required
- V7202 fits inside cabinet
- Drawers come with 5 compartments & v7200
 10 dividers (4 Removable partitions)
- Drawer Capacity: 75kg
- Shelf Capacity: 150kg









V7202

	5					
Code	Details	Overall Size (LxWxH)	Unit Weight (kg)	WAS	NOW	
V7200	Industrial Cabinet 1/2 Height Cabinet	900x900x450mm	49	_\$409	\$365	
V7202	Small Drawer Unit (100mm Deep)	777x330x100mm	9.2	\$168	\$150	
V7210	Industrial Tooling Cabinet Drawer Unit	900x450x900mm	99	\$1,040	\$925	


Modular Ergonomic Packing Workbenches

Our 2400mm Heavy Duty Modular Ergonomic Workbench comes with height adjustable legs for all your requirements or applications. It can be configured with a large range of accessories to maximise efficiency in your workspace. These benches are ideal for packing, industrial processes, workshops & multiple other applications. Configure your bench today!

- 37mm thick bench top, material is particle board with a PVC top & a high pressure, laminate underside
- 500kg capacity
- Comes standard with adjustable feet for levelling on uneven floors
 Finish: Powder coated light grey
- Bench Height: 737 to 1037mm can adjust at 50mm increments







Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post & panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled & disassembled rail system
- Supplied with all necessary bolts & fixings
 We can supply & install this fencing system at your workplace - Contact us for a quotation
- Galvanised finish available on request
- Base Size of the post is 255x255x16mm
- Universal post has holes on all 4 sides & can be used for any configuration (corner, straight, T or +)




Code	Details	Unit Weight (kg)	Overall Dimensions (mm)	WAS	NOW
V7430	Single Height Corner Post	15	100x100x470	\$198	\$176
V7431	Single Height Centre / End Post	15	100x100x470	\$198	\$176
V7432	Double Height Universal Post	25	100x100x1085	\$234	\$208
V7433	Double Height Centre / End Post	25	100x100x1085	\$234	\$208
V7435	Safety Rail Section	17	370x1120	\$198	\$175
V7436	Safety Rail Section	24	370x1730	\$222	\$198
V7437	Safety Rail Section	32	370x2340	\$346	\$310
V7438	Safety Rail Section	40	370x2945	\$348	\$312

Safety Swing Gate

- Restricts access to areas of potential hazard
- 2 x Authorised Personnel Only signs supplied
- Suits ball fence & SHS up to 50mm
- Fits left & right hand openings, inwards opening
- Built-in gate stop Self-closing stainless steel
- spring hinges
- Zinc Finish . Overall Length:
- 910-1360mm
- Height: 440mm
- Width: 110mm •
- Unit Weight: 10kg


* NO ENTR V7455



Code	Details	WAS	NOW
V7455	Safety Swing Gate	_\$330	\$295
V7454	Post to suit V7455	\$50	\$44

Pedestrian Handrail System

- · Easy to install modular pedestrian barrier system with 2 metre long rails to form a continuous barrier (can be cut to your desired length). The 950mm high posts simply lock together with pre-fitted couplings
- Our system uses rounded corners which allow you to have a continuous handrail along winding passageways & around corners
- No welding required, easily assembled & versatile
- Made to Australian Standards: • AS 1428.1:2021 & AS 1657:2018
- Powder coated yellow Post and Rail
- Hot Dipped Galvanised Cast Iron Connectors & **Base Flange**
- Post Rails: 48x950mm .
- Horizontal Rails: 48x2000mm •
- All Post are supplied with 2 x M10 60mm Galvanised Dynabolts



WAS NOW Code V7425 \$191 \$169 **V7470** 2m Pedestrian Handrail V7472 Centre Post V7471 End Post

V7474 4 Way Centre Cross V7475 Side Outlet Tee Set V7473 Corner Post



Code	Details	Overall Dimensions (mm)	Unit Weight (kg)	WAS	NOW
V7470	2m Pedestrian Handrail (pair of 2 handrails)	48x2000	14		\$157
V7471	Pedestrian Handrail - End Post	48x880	5.5	_\$170	\$150
V7472	Pedestrian Handrail - Centre Post	48x880	6	\$182	\$160
V7473	Pedestrian Handrail - Corner Post	48x880	6	_\$194	\$172
V7474	4 Way Centre Cross Coupling Set & Cap (pair of 2)	-	2.7	_\$40	\$35
V7475	Side Outlet Tee Set (sold as a pair of 2)	-	2	_\$35	\$30

· Protects against any

- accidental forklift damage Great for protecting edges of roller doors from truck damage
- Bollard Height: 1200mm Bollard Diameter: 165mm
- Wall Thickness: 3mm
- Base Plate Size: .
- 280x280x10mm Overall Size: (DxH)
- 165x1200mm
- Bolt Hole Size: 17mm M16 Tru Bolts available .
- to suit • Unit Weight: 22kg



Large Fixed Safety Bollard

Ear Protection

V9581:

- Disposable, PU foam hearing
- protection for noise levels to 110 dB(A)Pairs packaged in individual poly

V9581

V9585

WAS

\$21.50

NOW

\$52/Ctn

\$19.50

- bags
- Corded Ear Plugs (100 Pairs/Box)
 Cord allows earplugs to hang
- around neck when not in use V9585: • General purpose hearing protection
- for noise levels to 110dB(A)
 Solid, lightweight ear cup
- construction

Code

V9581 V9585

fumes

- Inner foam & headband cushions
- Low clamping force applies minimum pressure while maintaining a tight, snug seal

Safety Glasses
 Certified to AS/NZS
 1337.1:2010

- Medium impact
- 99.9% UV protectionAnti-scratch lens
- Stylish wraparound
- design • Qty/Ctn - 12 Glasses
- per packLightweight, low profile one piece polycarbonate lens



Code	Details	WAS	NOW
V9587	Safety Glasses - Clear	\$91.80/pack	\$82/pack
V9588	Safety Glasses - Smoke	\$91.80/pack	\$82/pack

Safety Goggles

- Clear lens
- Certified to AS/NZS
 1337.1:2010
- 99.9% UV protectionAnti-fog, anti-scratch,
- 2mm hardened lens • Foam bound, wide
- head strap & indirect vents enhances user comfort



Code	WAS	NOW
V9589	_\$19.70	\$17.50

Eyewash Station

- Easily wall mounted in proximity to the workplace
- Ensures quick & efficient
 eye irrigation
- Recommend wash time: 500ml - 5 min
- MEDIQ Saline eyewash contains a 0.9% sodium chloride solution that corresponds to the natural salt content of the eye fluid
- Effective eyewash for removal of dust, dirt & contamination in the eyes
- Replacement Eyewash solution available



Code	Details	WAS	NOW
V9621	Eyewash Station open with Mirror	\$71.50	\$64
V9622	Eyewash Station Replacement Solution	\$11.95	\$10.50

Sun Cream IL

- Complies to AS/NZS 2604:2012
- SPF 50 + provides ultrabroad-spectrum protection from the sun's harsh UVA & UVB rays
- 4 hours water resistant
- Contain Vitamin E & Aloe Vera to moisturise & condition the skin
- Skin friendly dermatologically tested formula
- Featuring dry touch technology for a light natural skin feel
- Reef Safe Formulation
- Qty / Pack 6 pieces



	Code	WAS	NOW
	V9608	\$47.20	\$42
L			


design with foam nose seal for comfort & superior fit Easily worn with glasses & goggles P2 Certified to AS/NZS 1716:2012 Respiratory Protective Devices Dual latex free elastic

Details

General Ear Muffs (each)

Corded Ear Plugs (100 Pairs/Ctn) \$57.50/Ctn

>



P2 Respirator

Suitable for use with

dust, smoke, mist &

Lightweight moulded

- Resealable bag for hygienic storage
- Quantity per box: 20

 Code
 WAS
 NOW

 V9591
 _\$47.80
 \$43

Yellow Safety Vests

- Complies with AS/ NZS 4602:2011
- No reflective tape - compliant to Australian Standards - Class D
- Quantity per pack 1
- . Fluro Yellow
- Available Sizes: •
- M, L, XL, 2XL, 3XL, 4XL

Code	Details	WAS	NOW
V9603-M	Safety Vest - Medium	\$5.50	\$4.90
V9603-L	Safety Vest - Large	\$5.50	\$4.90
V9603-XL	Safety Vest - Extra Large	\$5.50	\$4.90
V9603-2XL	Safety Vest - 2XL	\$5.50	\$4.90
V9603-3XL	Safety Vest - 3XL	\$5.50	\$4.90
V9603-4XL	Safety Vest - 4XL	\$5.50	\$4.90
	,		

Traffic Cones

- Lightweight yet durable Traffic Cones that can be used in a variety of settings road works, construction sites & parking lots
- High quality orange PVC
- Sold Individually



V9616

V9615

Code	Details	WAS	NOW
V9615	Traffic Cone - 450mm high	\$1 9.8 0	\$17.50
V9616	Traffic Cone - 700mm high	\$33.85	\$30

Ergo Tred Anti -Fatigue Matting

Extremely comfortable Rubber Matting - provides relief from constant standing Domed surface is ergonomically designed to improve circulation in feet & legs Hard wearing - long mat life even in demanding conditions Yellow border makes mat edges stand out to warn user of hazard HACCP Certified for use in dry areas Overall Size: 900x1200mm WAS Code NOW

\$165

\$146

Traffic Cone - Extension bar

- Made fro ABS plas to withst extremes
- Extendat 135cm, et long as r
- Includes system a
- Features bands fo
- Sold Indiv Includes
- rubber lo for easy traffic co

om exterior g stic & UV stak tand temper is & sunlight ble bar start extending to required as imple twisk at required wisk at required visk at required visk s 4 yellow ref pr added visk ividually a soft durable pops on both attachment pones & bollar	bilised ature s at 210cm t lock ength lective bility enends t to	
ode	WAS	NOW

Code	WAS	NOW
V9614	\$39.95	\$35

Traffic Cones - with Reflective Tape

- Lightweight yet durable Traffic Cones that can used in a variety of settings road works, construction sites & parking lots High quality orange PVC 150mm reflective tape complies to AS/NZS 1906.1:2007 standards High intensity reflective tape Providing even greater visibility •
- Sold Individually






Code	Details	WAS	NOW
V9617	Traffic Cone - 450mm high	\$24.95	\$22
V9618	Traffic Cone - 700mm high	\$49.50	\$44

750mm Pedestal Industrial Fan

- An ideal cooling solution for industrial workshops, factories, warehouses & other large-scale facilities
- Zinc coated mesh Powder coated steel frame
- High output & quiet running
- 3 speed motor .
- Oscillating function .
- Description: Pedestal Fan
- Blade Diameter: 750mm
- Motor: 240V 3 Speed
- Flow Rate: 290m³/min
- Level of noise: 61 decibels
- Adjustable Height:
- 1490 1650mm
- Unit Weight: 15.5kg

		-
Code	WAS	NOW
V6430	\$320	\$285



V7733



MATERIALS HANDLING, WORKPLACE & SAFETY EQUIPMENT



For all enquiries: sales@verdex.com.au

Sydney (02) 8865 1800 Brisbane (07) 3558 9700 Melbourne (03) 9115 9100



Paper is from sustainably managed forest and controlled sources. Recognised in Australia by Responsible Wood.

PEEC Certified

www.pefc.org.au

© Verdex Equipment 2024 ABN 66 640 439 149 Specials End 31st December 2024

